





2D-drawing and dimensions see pg. 2




weight: 3,8 kg

oil volume: 20 cm³ / stroke

Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · www.elephantbrakes.com




Installation position horizontal. In case of deviations, please contact us.
Information about the mounting position can be requested.


Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · www.elephantbrakes.com



2D-drawing and dimensions see pg. 2




oil volume: 50.4 cm³ / stroke

weight: 4,4 kg

Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · www.elephantbrakes.com



Installation position horizontal. In case of deviations, please contact us.
Information about the mounting position can be requested.

Subject to change without notice.


Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · www.elephantbrakes.com



2D-drawing and dimensions see pg. 3

R&H 200.250.01




Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · www.elephantbrakes.com

R&H 200.251.01



Type	Part-No.:	A mm	Ø B mm	C mm	E	G mm	oil volume cm³/stroke	weight kg
R&H 200.250.01	11149	184	40	213	G 1/8"	12-15	20	8,4
R&H 200.251.01	11150	175	58	216	G 1/4"	12-15	50	9,1

Subject to change without notice.


Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · www.elephantbrakes.com




R&H 215.250.01 / R&H 225.250.01 / R&H 230.250.01

2D-drawing and dimensions see pg. 2




R&H 215.251.01 / R&H 225.251.01 / R&H 230.251.01



Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com



Type	Part-No.:	A [mm]	Ø B [mm]	C [mm]	D [mm]	E	F [mm]	G [mm]	air cons. / stroke [cm³]	Weight [kg]
R&H 215.250.01	10691	195	40	224	130	G 1/8"	75	12-15	20	7,7
R&H 225.250.01	11096	199			140		84	25,4		7,7
R&H 230.250.01	10711	195			144		75	30		7,9
R&H 215.251.01	10692	185	58		130	G 1/4"	75	12-15	50	8,4
R&H 225.251.01	11097	189			140		84	25,4		8,4
R&H 230.251.01	10712	185			144		75	30		8,6


Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com




2D-drawing and dimensions see pg. 2



Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com



Right hand mounted as shown is standard. Left hand mounted please state with order.
Mounting position: horizontal – with inclined positions please contact manufacturer.

p_{max} : 100 bar

Weight: 7,3 kg

max. oil demand per braking: 15,7 cm³


Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com




2D-drawing and dimensions see pg. 2



Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com



Right hand mounted as shown is standard. Left hand mounted please state with order.
Mounting position: horizontal – with inclined positions please contact manufacturer.

p_{max} : 100 bar

Weight: 7,8 kg

max. oil demand per braking: 15,7 cm³


Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com




2D-drawing and dimensions see pg. 2



Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com



Right hand mounted as shown is standard. Left hand mounted please state with order.
Mounting position: horizontal – with inclined positions please contact manufacturer.

p_{max} : 100 bar
max. oil demand per braking: 50,4 cm³
Weight: 8 kg


Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com




2D-drawing and dimensions see pg. 2



Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com




Right hand mounted as shown is standard. Left hand mounted please state with order.
Mounting position: horizontal – with inclined positions please contact manufacturer.

p_{max} : 100 bar
max. oil demand per braking: 50,4 cm³
Weight: 8,5 kg

Subject to change without notice.


Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com



R&H 300.250.04 / R&H 300.250.04 short.

2D-drawing and dimensions see pg. 3




Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · www.elephantbrakes.com

R&H 300.251.04 / R&H 300.251.04 short.




Type	Part-No.:	A mm	B mm	C mm	Ø D mm	E	Air cons. cm ³ / stroke	weight kg
R&H 300.250.04	12749	180	30	230	40	G 1/8"	20	23,0
R&H 300.250.04 short.		170	38	230	40	G 1/8"	20	23,0
R&H 300.251.04	12750	170	30	230	58	G 1/4"	50	23,5
R&H 300.251.04 short.	13451	160	38	230	58	G 1/4"	50	23,5

Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · www.elephantbrakes.com




Right hand mounted as shown = Standard; left hand mounted please state with order.

Subject to change without notice.


Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · www.elephantbrakes.com




R&H 350.205.01

2D-drawing and dimensions see pg. 2




R&H 350.204.01




Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.


Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com



“X”



view “X”
mounting surface




Type	Part-No.	D [mm]	$p_{\max}$	air cons. / stroke [cm ³]	Weight [kg]
R&H 350.204.01	11228	50	150	90	38,6
R&H 350.205.01	10451	60	100	140	39,5

Subject to change without notice.


Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com




2D-drawing and dimensions see pg. 2

pneumatic actuated




hydraulic actuated



Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.



Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com



For G = 8 mm: EB 108, Part-No. 12294

For G = 15 mm: EB 115, Part-No. 10811

Subject to change without notice.



For use with mineral oil

Weight: 9,0 kg

max. oil requirement: 36 cm³


Brake pad area: 72 cm²

P_{max.}: 150 bar

Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com



Mounting screws: 2 x M 20 - 8.8 Tightening torque: 400 Nm


Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com



2D-drawing and dimensions see pg. 2




Weight: 6,5 kg

Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com




For use with mineral oil
 max. oil displacement per stroke: 30 cm³
 brake pad area = 72 cm²
 p_{max.} = 110 bar


Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · www.elephantbrakes.com



2D-drawing and dimensions see pg. 2




weight: 48 kg

Subject to change without notice.

Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · www.elephantbrakes.com



For use with mineral oil
max. oil displacement: 200 cm³ / stroke
Brake pad area = 408 cm²
max. operating pressure = 150 bar (100 bar for side mounting)

Subject to change without notice.