





## EB025



2D-drawing and dimensions see pg. 2



## EB030



Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)




| Type  | Part-No. | A<br>[mm] | B<br>[mm] | C<br>[mm] | D<br>[mm] | E<br>[mm] | braking force at<br>5 bar [N] |
|-------|----------|-----------|-----------|-----------|-----------|-----------|-------------------------------|
| EB025 | 10927    | 6         | 29        | 40        | 40        | 30        | 150                           |
| EB030 | 11471    | 8         | 35        | 50        | 45        | 33        | 210                           |

Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)




2D-drawing and dimensions see pg. 2

## pneumatic actuated




## hydraulic actuated



Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)




For G = 8 mm: EB 108, Part-No. 12294

For G = 15 mm: EB 115, Part-No. 10811

Subject to change without notice.



2D-drawing and dimensions see pg. 2





Weight: 1 kg  
air cons. / stroke: 0,02 dm<sup>3</sup>

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



| Type           | Part-No.: | G [mm] |
|----------------|-----------|--------|
| R&H 051.100.08 | 12504     | 8      |
| R&H 051.100.13 | 12934     | 12,7   |


Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



2D-drawing and dimensions see pg. 2




Weight: 2 kg

Air cons. / stroke: 0,07 dm<sup>3</sup>

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)





2D-drawing and dimensions see pg. 2




Weight: 2,1 kg  
Air cons. / stroke: 0,15 dm<sup>3</sup>

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**


Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



2D-drawing and dimensions see pg. 3

## R&H 100.101.01

Nominal disc diameter (mm)




Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**


Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · [www.elephantbrakes.com](http://www.elephantbrakes.com)

## R&H 100.102.01


Nominal disc diameter (mm)




## R&H 100.103.01



## R&H 100.105.01



Subject to change without notice.



Installation position horizontal. In case of deviations, please contact us.  
Information about the mounting position can be requested.

| Type           | Part-No.: | weight<br>kg | $\varnothing A$<br>mm | B<br>mm | C     | air/cons.<br>dm <sup>3</sup> /stroke | M <sub>A</sub> |
|----------------|-----------|--------------|-----------------------|---------|-------|--------------------------------------|----------------|
| R&H 100.101.01 | 10389     | 3,1          | 40                    | 170     | G1/4" | 0,04                                 | 15 Nm          |
| R&H 100.102.01 | 10390     | 3,6          | 97                    | 185     | G1/4" | 0,07                                 | 60 Nm          |
| R&H 100.103.01 | 10388     | 4,0          | 120                   | 175     | G1/4" | 0,15                                 | 60 Nm          |
| R&H 100.105.01 | 10386     | 4,3          | 144                   | 180     | G3/8" | 0,30                                 | 60 Nm          |

Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



2D-drawing and dimensions see pg. 3

## R&H 100.101.02




Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**


Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · [www.elephantbrakes.com](http://www.elephantbrakes.com)

## R&H 100.102.02


Nominal disc diameter (mm)



## R&H 100.103.02




## R&H 100.105.02



dyn. braking torque [Nm] {static torque = dyn. torque x 0.9}

Subject to change without notice.



Installation position horizontal. In case of deviations, please contact us.  
Information about the mounting position can be requested.

| Type           | Part-No.: | weight<br>kg | $\varnothing A$<br>mm | B<br>mm | C     | Air cons.<br>dm <sup>3</sup> / stroke | M <sub>A</sub> |
|----------------|-----------|--------------|-----------------------|---------|-------|---------------------------------------|----------------|
| R&H 100.101.02 | 10781     | 3,6          | 40                    | 245     | G1/4" | 0,04                                  | 15 Nm          |
| R&H 100.102.02 | 10782     | 4,1          | 97                    | 253     | G1/4" | 0,07                                  | 60 Nm          |
| R&H 100.103.02 | 10783     | 4,4          | 120                   | 240     | G1/4" | 0,15                                  | 60 Nm          |
| R&H 100.105.02 | 10784     | 4,9          | 144                   | 240     | G3/8" | 0,30                                  | 60 Nm          |

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**


Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · [www.elephantbrakes.com](http://www.elephantbrakes.com)






## R&H 100.104.01

2D-drawing and dimensions see pg. 2



## R&H 100.106.01




\*by using one chamber dyn. braking torque x 0,5

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



Brake shoes moably mounted.

| Type           | Part-No. | Ø A [mm] | B [mm] | C         | air cons. / stroke [dm³] | weight [kg] |
|----------------|----------|----------|--------|-----------|--------------------------|-------------|
| R&H 100.104.01 | 10560    | 120      | 290    | 2 x G1/4" | 2 x 0,15                 | 4,6         |
| R&H 100.106.01 | 10387    | 144      |        | 2 x G3/8" | 2 x 0,30                 | 5,4         |

Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)




## R&H 100.104.02

2D-drawing and dimensions see pg. 2



## R&H 100.106.02




\*by using one chamber dyn. braking torque x 0,5

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)




Brake shoes moably mounted.

| Type           | Part-No. | Ø A [mm] | B [mm] | C         | air cons. / stroke [dm³] | weight [kg] |
|----------------|----------|----------|--------|-----------|--------------------------|-------------|
| R&H 100.104.02 | 10917    | 120      | 304    | 2 x G1/4" | 2 x 0,15                 | 4,6         |
| R&H 100.106.02 | 10916    | 144      |        | 2 x G3/8" | 2 x 0,30                 | 5,4         |


Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



2D-drawing and dimensions see pg. 2




Weight: 1,0 kg

air cons. / stroke = 0,04 dm<sup>3</sup>

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)




left hand mounted please state with order


Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



2D-drawing and dimensions see pg. 2




Weight: 1,5 kg

air cons. / stroke = 0,07 dm³

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)




left hand mounted please state with order

Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)






2D-drawing and dimensions see pg. 2



Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



Right hand mounted as shown is standard; left hand mounted please state with order.

Weight: 1,8 kg  
air consumption: 0,15 dm<sup>3</sup>

Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



2D-drawing and dimensions see pg. 3

## R&H 200.102.01




Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · [www.elephantbrakes.com](http://www.elephantbrakes.com)


## R&H 200.103.01



## R&H 200.105.01



## R&H 200.107.01




Subject to change without notice.





2D-drawing and dimensions see pg. 2

**R&H 215.102.01 / R&H 225.102.01 / R&H 230.102.01**




Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)


## R&H 215.103.01 / R&H 225.103.01 / R&H 230.103.01




## R&H 215.105.01 / R&H 225.105.01 / R&H 230.105.01 / R&H 245.105.01



## R&H 215.107.01 / R&H 225.107.01 / R&H 230.107.01 / R&H 245.107.01



Subject to change without notice.



| Type           | Part-No.: | A<br>[mm] | Ø B<br>[mm] | C<br>[mm] | D<br>[mm] | E      | F<br>[mm] | G<br>[mm] | air cons.<br>/ stroke<br>[dm³] | Weight<br>[kg] |
|----------------|-----------|-----------|-------------|-----------|-----------|--------|-----------|-----------|--------------------------------|----------------|
| R&H 215.102.01 | 10684     | 154       | 97          | 241       | 130       | G 1/4" | 75        | 12-15     | 0,07                           | 7,5            |
| R&H 225.102.01 | 11086     | 156       |             |           | 140       |        | 84        | 25,4      |                                | 7,5            |
| R&H 230.102.01 | 10704     | 157       |             |           | 144       |        | 75        | 30        |                                | 7,7            |
| R&H 215.103.01 | 10685     | 156       | 120         | 252       | 130       | G 1/4" | 75        | 12-15     | 0,15                           | 8              |
| R&H 225.103.01 | 11087     | 157       |             |           | 140       |        | 84        | 25,4      |                                |                |
| R&H 230.103.01 | 10705     |           |             |           | 144       |        | 75        | 30        |                                |                |
| R&H 215.105.01 | 10687     | 159       | 144         | 264       | 130       | G 3/8" | 75        | 12-15     | 0,30                           | 8,4            |
| R&H 225.105.01 | 11088     |           |             |           | 140       |        | 84        | 25,4      |                                |                |
| R&H 230.105.01 | 10707     |           |             |           | 144       |        | 75        | 30        |                                |                |
| R&H 245.105.01 | 14349     | 156       |             |           | 154       |        | 84        | 45        |                                |                |
| R&H 215.107.01 | 10689     | 164       | 180         | 282       | 130       | G 3/8" | 75        | 12-15     | 0,43                           | 8,9            |
| R&H 225.107.01 | 11089     |           |             |           | 140       |        | 84        | 25,4      |                                | 8,9            |
| R&H 230.107.01 | 10709     |           |             |           | 144       |        | 75        | 30        |                                | 9,1            |
| R&H 245.107.01 | 13428     | 161       |             |           | 154       |        | 84        | 45        |                                |                |


Subject to change without notice.





2D-drawing and dimensions see pg. 3

## R&H 215.104.01 / R&H 230.104.01




Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)

## R&H 215.106.01 / R&H 230.106.01



## R&H 215.108.01 / R&H 230.108.01



\* using one chamber dyn. braking torque x 0,5

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**


Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)





2D-drawing and dimensions see pg. 3

**R&H 250.102.01**




Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)


## R&H 250.103.01




## R&H 250.105.01



## R&H 250.107.01



Subject to change without notice.



Right hand mounted as shown is standard. Left hand mounted please state with order.

Mounting position: horizontal – with inclined positions please contact manufacturer.

| Type                | Part-No.: | A [mm] | B [mm] | C [mm] | D [mm] | E      | air cons. / stroke [cm³] | Weight [kg] |
|---------------------|-----------|--------|--------|--------|--------|--------|--------------------------|-------------|
| R&H 250.102.01      | 10059     | 160    | 97     | 242    | 12,7   | G 1/4" | 0,07                     | 7,1         |
| R&H 250.102.01 gek. | 10060     | 157    |        |        | 25,4   |        |                          |             |
| R&H 250.103.01      | 10050     | 150    | 120    | 254    | 12,7   | G 1/4" | 0,15                     | 7,5         |
| R&H 250.103.01 gek. | 10051     | 147    |        |        | 25,4   |        |                          |             |
| R&H 250.105.01      | 10038     | 150    | 144    | 266    | 12,7   | G 3/8" | 0,30                     | 7,8         |
| R&H 250.105.01 gek. | 10039     | 147    |        |        | 25,4   |        |                          |             |
| R&H 250.107.01      | 10046     | 160    | 180    | 284    | 12,7   | G 3/8" | 0,43                     | 8,5         |
| R&H 250.107.01 gek. | 10047     | 157    |        |        | 25,4   |        |                          |             |


Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**


Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



## R&H 250.104.01



## R&H 250.106.01




\* using one chamber dyn. braking torque x 0,5

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



| Type                | Part-No.: | A [mm] | Ø B [mm] | C [mm] | D [mm] | E          | air cons. / stroke [cm³] | Weight [kg] |
|---------------------|-----------|--------|----------|--------|--------|------------|--------------------------|-------------|
| R&H 250.104.01      | 10054     | 228    | 120      | 254    | 12,7   | 2 x G 1/4" | 2 x 0,07                 | 7,1         |
| R&H 250.104.01 gek. | 10055     | 225    |          |        | 25,4   |            |                          |             |
| R&H 250.106.01      | 10042     | 228    | 144      | 266    | 12,7   | 2 x G 3/8" | 2 x 0,15                 | 7,5         |
| R&H 250.106.01 gek. | 10043     | 225    |          |        | 25,4   |            |                          |             |

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**


Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)





2D-drawing and dimensions see pg. 3

## R&H 250.102.02




Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)


## R&H 250.103.02




## R&H 250.105.02



## R&H 250.107.02



Subject to change without notice.



Right hand mounted as shown is standard. Left hand mounted please state with order.


Mounting position: horizontal – with inclined positions please contact manufacturer.

| Type                | Part-No.: | A [mm] | B [mm] | C [mm] | D [mm] | E      | air cons. / stroke [cm³] | Weight [kg] |
|---------------------|-----------|--------|--------|--------|--------|--------|--------------------------|-------------|
| R&H 250.102.02      | 10061     | 160    | 97     | 242    | 12,7   | G 1/4" | 0,07                     | 7,6         |
| R&H 250.102.02 gek. | 10062     | 157    |        |        | 25,4   |        |                          |             |
| R&H 250.103.02      | 10052     | 150    | 120    | 254    | 12,7   |        | 0,15                     | 8,0         |
| R&H 250.103.02 gek. | 10053     | 147    |        |        | 25,4   |        |                          |             |
| R&H 250.105.02      | 10040     | 150    | 144    | 266    | 12,7   | G 3/8" | 0,30                     | 8,3         |
| R&H 250.105.02 gek. | 10041     | 147    |        |        | 25,4   |        |                          |             |
| R&H 250.107.02      | 10048     | 160    | 180    | 284    | 12,7   |        | 0,43                     | 9,0         |
| R&H 250.107.02 gek. | 10049     | 157    |        |        | 25,4   |        |                          |             |

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**


Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



**R&H 250.104.02**


Nominal diameter of disc [mm]

2D-drawing and dimensions see pg. 2



**R&H 250.106.02**

Nominal diameter of disc [mm]




\* using one chamber dyn. braking torque x 0,5

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



| Type                | Part-No.: | A [mm] | Ø B [mm] | C [mm] | D [mm] | E          | air cons. / stroke [cm³] | Weight [kg] |
|---------------------|-----------|--------|----------|--------|--------|------------|--------------------------|-------------|
| R&H 250.104.02      | 10056     | 228    | 120      | 254    | 12,7   | 2 x G 1/4" | 2 x 0,07                 | 7,1         |
| R&H 250.104.02 gek. | 10057     | 225    |          |        | 25,4   |            |                          |             |
| R&H 250.106.02      | 10044     | 228    | 144      | 266    | 12,7   | 2 x G 3/8" | 2 x 0,15                 | 7,5         |
| R&H 250.106.02 gek. | 10045     | 225    |          |        | 25,4   |            |                          |             |

Subject to change without notice.


**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



2D-drawing and dimensions see pg. 3

## R&H 300.105.04 / R&H 300.105.04 shortened




Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · [www.elephantbrakes.com](http://www.elephantbrakes.com)

## R&H 300.107.04 / R&H 300.107.04 shortened




| Type                  | Part-No.: | A <sub>max.</sub><br>mm | B<br>mm | C<br>mm | Ø D<br>mm | E      | Air cons.<br>dm <sup>3</sup> /stroke | weight<br>kg |
|-----------------------|-----------|-------------------------|---------|---------|-----------|--------|--------------------------------------|--------------|
| R&H 300.105.04        | 11785     | 155                     | 30      | 260     | 144       | G 3/8" | 0.30                                 | 23,2         |
| R&H 300.105.04 short. | 11786     | 145                     | 38      | 270     | 144       | G 3/8" | 0.30                                 | 23,2         |
| R&H 300.107.04        | 11787     | 160                     | 30      | 280     | 180       | G 3/8" | 0,42                                 | 24,0         |
| R&H 300.107.04 short. | 11788     | 150                     | 38      | 290     | 180       | G 3/8" | 0,42                                 | 24,0         |

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



Right hand mounted as shown = Standard; left hand mounted please state with order.

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**


Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · [www.elephantbrakes.com](http://www.elephantbrakes.com)






## R&H 300.106.04 / R&H 300.106.04 shortened

2D-drawing and dimensions see pg. 2



## R&H 300.108.04 / R&H 300.108.04 shortened




\*using one chamber dynamic braking torque x 0,5

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · [www.elephantbrakes.com](http://www.elephantbrakes.com)



Right hand mounted as shown is standard – left hand mounted please state with order.

| Type                | Part-No. | A <sub>max.</sub><br>[mm] | B<br>[mm] | C<br>[mm] | D<br>[mm] | E      | Air cons. / stroke<br>[dm³] | weight<br>[kg] |
|---------------------|----------|---------------------------|-----------|-----------|-----------|--------|-----------------------------|----------------|
| R&H 300.106.04      | 11765    | 220                       | 30        | 264       | 144       | G 3/8" | 0,30                        | 24,5           |
| R&H 300.106.04 gek. | 11766    | 210                       | 38        | 274       | 144       |        |                             |                |
| R&H 300.108.04      | 11767    | 225                       | 30        | 284       | 180       |        | 0,42                        | 26             |
| R&H 300.108.04 gek. | 11768    | 215                       | 38        | 294       | 180       |        |                             |                |


Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hanover · [www.elephantbrakes.com](http://www.elephantbrakes.com)




## R&H 400.108.04, Part-No. 11799



2D-drawing and dimensions see pg. 2



## R&H 400.109.04, Part-No. 11131



Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**


Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)




Subject to change without notice.



2D-drawing and dimensions see pg. 2



Subject to change without notice.



weight: ca. 45 kg

Air consumption  $2 \text{ dm}^3 / \text{stroke}$

Right hand mounted as shown standard; left hand mounted please state with order.

Mounting position horizontal; with inclined positions please contact manufacturer.

Subject to change without notice.

**Elephant Brakes by Rietschoten Germany. Strong like an elephant. Smart like an elephant.**

Deutsche van Rietschoten & Houwens GmbH · Junkersstraße 12 · 30179 Hannover · [www.elephantbrakes.com](http://www.elephantbrakes.com)